

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

Revision date 13-Jun-2022 Revision Number 3.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	1	.1	. F	r	bd	uct	ider	ntifier	
--	---	----	-----	---	----	-----	------	---------	--

Product Name EVO-STIK TENSOL 12

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland	+44 (1785) 272650 NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service)
Europe	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1B - (H317)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity — single exposure	Category 3 - (H335, H336)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)

2.2. Label elements

Contains Methylene chloride, Methyl methacrylate, 2-Phenoxyethanol

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022 Revision date 13-Jun-2022 Revision Number 3.01



Signal word Danger

Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

- P201 Obtain special instructions before use
- P260 Do not breathe mist/vapours/spray
- P264 Wash skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

Special provisions concerning the labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Methylene chloride	200-838-9	75-09-2	40 - <80	STOT SE 3	-	01-2119480404-
				(H335)		41-XXXX

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

				STOT SE 3 (H336) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Carc. 2 (H351)		
Methyl methacrylate	201-297-1	80-62-6	>25 - <40	Skin Irrit. 2 (H315) Skin Sens. 1B (H317) STOT SE 3 (H335) Flam. Liq. 2 (H225)	STOT SE 3 :: C>=10%	01-2119452498- 28-xxxx
2-Phenoxyethanol	204-589-7	122-99-6	1 - <5	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H335)	-	01-2119488943- 21-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.			
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.			
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.			
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms	Burning sensation. Itching. Rashes. Hives. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.			

4.3. Indication of any immediate medical attention and special treatment needed						
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.					
SECTION 5: Firefighting measures						
5.1. Extinguishing media						
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.					
Unsuitable extinguishing media	No information available.					
5.2. Special hazards arising from t	he substance or mixture					
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.					
Hazardous combustion products	Hydrogen chloride.					
5.3. Advice for firefighters						
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.					
SECTION 6: Accidental release measures						
6.1. Personal precautions, protecti	ve equipment and emergency procedures					
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.					
Other information	Refer to protective measures listed in Sections 7 and 8.					
For emergency responders	Use personal protection recommended in Section 8.					
6.2. Environmental precautions						
Environmental precautions	Prevent further leakage or spillage if safe to do so.					
6.3. Methods and material for cont	ainment and cleaning up					
Methods for containment	Prevent further leakage or spillage if safe to do so.					
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.					
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.					
6.4. Reference to other sections						
Reference to other sections	Reference to other sections See section 8 for more information. See section 13 for more information.					
SECTION 7: Handling and st	orage					

7.1. Precautions for safe handling

```
Advice on safe handling
```

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

EVO-STIK TENSOL	. 12
Supercedes Date:	27-Apr-2022

General hygiene considerations	equipment. Take off contaminated clothing and wash it before reuse. Avoid breathing vapours or mists. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Recommended storage temperature	Keep at temperatures between 5 and 25 °C.
7.3. Specific end use(s)	
Specific use(s) Adhesives and/or sealants.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Methylene chloride	TWA: 353 mg/m ³	TWA: 353 mg/m ³
75-09-2	TWA: 100 ppm	TWA: 100 ppm
	STEL: 706 mg/m ³	STEL: 200 ppm
	STEL: 200 ppm	STEL: 706 mg/m ³
	*	Sk*
Methyl methacrylate	TWA: 50 ppm	TWA: 50 ppm
80-62-6	STEL: 100 ppm	TWA: 208 mg/m ³
		STEL: 100 ppm
		STEL: 416 mg/m ³

Chemical name	European Union	Ireland	United Kingdom
Methylene chloride	-	4 % hemoglobin (blood -	30 ppm end-tidal breath
75-09-2		Carboxyhemoglobin measure at	
		end of shift)	
		0.3 mg/L (urine - Methylene	
		chloride measure at end of shift)	
		1 mg/L (blood - Methylene chloride	
		measure at end of shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Methylene chloride (75-09-2)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Short term Systemic health effects	Inhalation	706 mg/m³			
worker Long term Systemic health effects	Dermal	4750 mg/kg bw/d			
worker	Inhalation	353 mg/m³			

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

Long term Systemic health effects		

Derived No Effect Level (DN	EL)		
Methylene chloride (75-09-2)	1		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Short term Systemic health effects	Inhalation	353 mg/m³	
Consumer Long term Systemic health effects	Dermal	2395 mg/kg bw/d	
Consumer Long term Local health effects	Oral	0.06 mg/kg bw/d	
Consumer Long term Local health effects	Inhalation	88.3 mg/m³	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Methylene chloride (75-09-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.54 mg/l
Freshwater sediment	4.47 mg/kg dry weight
Marine water	0.194 mg/kg dry weight
Marine sediment	1.61 mg/kg dry weight
Soil	0.583 mg/kg dry weight

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield. Eye protection must conform to standard EN 166.
Hand protection	Wear protective gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Clear
Odour	Characteristic.
Odour threshold	No information available

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022 Revision date 13-Jun-2022 Revision Number 3.01

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	Not applicable for liquids .	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	38.5	kPa @ 20 °C
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
VOC Content (%)	1130 g/L	Directive 2004/42/EC on the limitation of emissions of
		volatile organic compounds

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and r	eactivity
10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous read	tions_
Possibility of hazardous reactions	None under normal processing.

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.
10.6. Hazardous decomposition	n products
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicologic	al information
11.1. Information on hazard cl	asses as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical	, chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)61,666.70 mg/kgATEmix (inhalation-dust/mist)159.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene chloride	>2000 mg/kg (Rattus)	> 2000 mg/kg (Rat)	>86 mg/L (Rattus) 4 h
Methyl methacrylate	=7872 mg/kg (Rattus)	5000 - 7500 mg/kg	=7093 ppm (Rattus) 4 h
		(Oryctolagus cuniculus) > 5	
		g/kg (Oryctolagus cuniculus)	
2-Phenoxyethanol	LD50 = 1850 mg/kg (Rattus)	= 5 mL/kg (Oryctolagus	LC50 >1000 mg/L (Rattus)
	OECD 401	cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Methylene chloride (75-09-	2)				
Method	_/	Species		Results	
OECD 453		Rat		Carcinogenic	
_	emical name			European Union	
Meth	ylene chloride			Carc. 2	
Reproductive toxicity	Based	d on available data, th	e classification crite	eria are not met.	
STOT - single exposure	May c	cause respiratory irrita	tion. May cause dro	owsiness or dizzines	S.
STOT - repeated exposur	e Mayo	cause damage to orga	ins through prolong	ed or repeated expo	sure.
H373 - May cause dam	-	ing organs through pr	olonged or repeated	d exposure: Liver.	
Methylene chloride (75-09- Method	2) Species	Exposure route	Effective dose	Exposure time	Results
	Rat	Inhalation	500 ppm	600 days	NOAEC 200 ppm
Aspiration hazard 11.2. Information on othe		d on available data, th		· · ·	
11.2.1. Endocrine disrup	ting properties				
Endocrine disrupting pro	perties No int	formation available.			
Endocrine disrupting pro 11.2.2. Other information	,	formation available.			
	1	formation available. formation available.			
11.2.2. Other information	No inf	formation available.			

Ecotoxicity

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

Revision date 13-Jun-2022 Revision Number 3.01

	1 <i>.</i> .			-		
Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Methylene chloride	EC50: >500mg/L	LC50: =193mg/L	EC50 = 1 mg/L	EC50 48 h = 27		
75-09-2	(72h,	(96h, Lepomis	24 h	mg/L (Daphnia		
	Pseudokirchneri	macrochirus)	EC50 = 2.88	magna)		
	ella subcapitata)		mg/L 15 min			
	EC50: >500mg/L	277.8mg/L (96h,	-			
	(96h,	Pimephales				
	Pseudokirchneri	promelas) LC50:				
	ella subcapitata)	262 - 855mg/L				
		(96h,				
		Pimephales				
		promelas)				
Methyl methacrylate	EC50: =170mg/L	LC50 96 h > 79	-	EC50: =69mg/L		
80-62-6	(96h,	mg/L		(48h, Daphnia		
	Pseudokirchneri	(Oncorhynchus		magna)		
	ella subcapitata)	mykiss static)				
		Lepomis				
		macrochirus 96h				
		=191-283 mg/l				
2-Phenoxyethanol	EC50: >500mg/L	LC50: =366mg/L	EC50 = 32.4	EC50: >500mg/L		
122-99-6	(72h,	(96h,	mg/L 5 min	(48h, Daphnia		
	Desmodesmus	Pimephales	EC50 = 880	magna)		
	subspicatus)	promelas) LC50:	mg/L 17 h			
		220 - 460mg/L	Ŭ			
		(96h, Leuciscus				
		idus) LC50: 337				
		- 352mg/L (96h,				
		Pimephales				
		promelas)				

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Methylene chloride	1.25
Methyl methacrylate	1.38
2-Phenoxyethanol	1.2

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methylene chloride	The substance is not PBT / vPvB
Methyl methacrylate	The substance is not PBT / vPvB PBT assessment does
	not apply
2-Phenoxyethanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022

Revision date 13-Jun-2022 Revision Number 3.01

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special Provisions Classification code Tunnel restriction code Limited quantity (LQ) ADR Hazard Id (Kemmler Number)	UN1593 Dichloromethane 6.1 6.1 III UN1593, Dichloromethane, 6.1, III, (E) Not applicable 516 T1 (E) 5 L 60
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Marine pollutant 14.6 Special Provisions Limited Quantity (LQ) EmS-No 14.7 Maritime transport in bulk according to IMO instruments	UN1593 Dichloromethane 6.1 III UN1593, Dichloromethane, 6.1, III NP None 5 L F-A, S-A Not applicable

Air transport (ICAO-TI / IATA-DGR)

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022 Revision date 13-Jun-2022 Revision Number 3.01

14.1 UN number or ID number	UN1593
14.2 Proper Shipping Name	Dichloromethane
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
Description	UN1593, Dichloromethane, 6.1, III
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None
Limited quantity (LQ)	2 L
ERG Code	6L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Methylene chloride	75-09-2	59.

Dichloromethane (CAS 75-09-2) is restricted from being placed on the market for general public when used in paint strippers $\geq 0.1\%$. Further handling and use restrictions apply when used in industrial/professional paint stripping products.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

Logona	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	
-	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	13-Jun-2022
Indication of changes	
Revision note	Not applicable.
Training Advice	Provide adequate information, instruction, and training for operator
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process,

EVO-STIK TENSOL 12 Supercedes Date: 27-Apr-2022 Revision date 13-Jun-2022 Revision Number 3.01

unless specified in the text.

End of Safety Data Sheet